



CAPRI 34/44

DIRECT VENT GAS FIREPLACE INSERT – FLUSH MOUNT SERIES

Unit Illustrated: IDV44N Direct Vent Insert (Natural Gas), MQLOGF453 Log Set (Driftwood), MQRSP11 Support Platform (Driftwood), MQ44CV3BL Clean View (Black), MQ44SF1BL Door Frame (Black), I44S4432BL Surround (Black), IDV36RLT Brick Liner.

 **marquis**
COLLECTION

INSERT YOUR STYLE HERE

STANDARD FEATURES

- Dual Burner with glowing embers and decorative ash bed
- Millivolt or IPI (intermittent pilot ignition) valve system allows operation during power failure with adjustable flame control
- Heat activated blower with variable speed control
- Heat radiating Ceramic Glass
- On/Off Rocker switch
- Proflame II Models include Remote Control – Features flame, fan, thermostat, and smart thermostat (IDV34NE2, IDV34LPE2, IDV44NE2, IDV44LPE2 Models only)
- Safety Screen Barrier

The **CAPRI** Insert is a wonder, able to transform an existing wood burning fireplace into an updated focal point in any room. This Flush Mount Series is available in two sizes and your choice of liner, driftwood or oak log set, decorative stone, or five different colors of crushed glass media.

With so many options, you'll find the **CAPRI** is perfectly attuned to your décor vision.

Visit marquisfireplaces.net to see the latest evolution in fireplaces.




Unit Illustrated: IDV34N Direct Vent Fireplace Insert (Natural Gas), MQ34CV3BL Clean View (Black), MQ34DD1BL Designer Door (Black), MQLOGF34 Split Oak Log Set, IDV33RL Refractory Brick Liner (Traditional).

STEP 1: CHOOSE MODEL – MILLIVOLT or IPI PF2


Model	Fuel	Input Max.	Input Min.	FE (P.4.1-15)	Flue Sizes	Model	Fuel	Input Max.	Input Min.	FE (P.4.1-15)	Flue Sizes
IDV34N	Natural	31,000 BTU	20,900 BTU	62.86%	3/3"	IDV44N	Natural	34,250 BTU	24,000 BTU	60.18%	4/3"
IDV34NE2	Natural	31,000 BTU	20,900 BTU	64.73%	3/3"	IDV44NE2	Natural	34,250 BTU	24,000 BTU	61.70%	4/3"
IDV34LP	Propane	28,500 BTU	23,100 BTU	63.63%	3/3"	IDV44LP	Propane	30,000 BTU	22,840 BTU	60.20%	4/3"
IDV34LPE2	Propane	28,500 BTU	23,100 BTU	65.63%	3/3"	IDV44LPE2	Propane	30,000 BTU	22,840 BTU	61.85%	4/3"

STEP 2: CHOOSE (required for each unit) – LOG SET or ROCK SUPPORT PLATFORM or GLASS MEDIA


LOG SETS




MQLOGF34
Fiber Split Oak
(for IDV34/44)




LOGF35
Fiber Split Oak
(for IDV34)




LOGF36
Fiber Split Oak
(for IDV44)



MQLOGF33
MQLOGF453
Driftwood
(MQRSP11 required)



MQRBD4
Driftwood
(MQRSP11 and 15 lbs
Glass Media required)




MQRBRW
Birch
(MQRSP11 and 15 lbs
Glass Media required)

ROCKS SETS



MQROCK2
Natural



MQROCK3
Multi-Colored

REQUIRES ROCK SUPPORT
PLATFORM (MQRSP4)


GLASS MEDIA REQUIRES SUPPORT PLATFORM (MQRSP8)



MQG5ZG
Zircon Glacier
Ice Glass




MQG5B
Black
Ember Glass



MQG5C
Bronze
Ember Glass




MQG5W
White
Ember Glass




MQG5A
Cobalt
Ember Glass



MQSTONE
Decorative
Stones




MQSTONE10
Decorative
Stones




MQEMBER
Ember
Chunks

STEP 3: CHOOSE OPTIONAL ACCESSORIES


LINERS




IDV33RL
IDV36RLT
Traditional
Brick Liner



IDV36RLH
Herringbone
Brick Liner
(IDV44 only)



MQ33RLF
MQ43RLF
Fluted
Liner



IDV33PRL
IDV36PRL
Porcelain Reflective
Liner

REMOTE CONTROLS

On/Off, Thermostat or
Modulating Thermostat



PV1
or MV



PF2





PV1
or MV

THERMOSTATS

Standard On/Off
or Programmable
(Wall Mount)




IDV34/IDV44 DIMENSIONS




	IDV34	IDV44
A	28 5/8"	32 7/8"
B	14 1/8"	18 3/8"
C	25 5/8"	29 7/8"
D	3"	4"
E	3"	3"
F	21 3/8"	25 3/4"
G	18 1/4"	18 9/16"

DESIGNER DOORS & FRAMES

REQUIRED FOR MQ34CV3 / MQ34CV4PF AND MQ44CV3



Designer Frame



Designer Door

STEP 4: CHOOSE CLEAN VIEW KIT (required) AND APPROPRIATE SURROUND (if needed)

IDV34

Minimum Fireplace Opening

Width	Height	Depth
IDV34 with: I34CV1 / MQ34CV2 / MQ34CV3 / MQ34CV4PF		
28 5/8"	21 1/2"	17 3/4"
IDV34 with: I34CV6BL		
26 1/4"	21 3/8"	14 3/8"

Clean View Kits

Width	Height	Depth
I34CV1BL (Clean View)	35 1/4"	24 3/16"
I34CV6BL (Clean View)	37 5/8"	26 15/16"
MQ34CV2BL (Clean View)	35 5/8"	24 1/16"

Clean View Kit – with Screen Door or Designer Frame

Width	Height	Depth
MQ34CV3BL (Clean View)*		
37 1/8"	25 3/16"	1 7/16"
MQ34DD1BL (Designer Door – Series 1)		
MQ34SF1BL (Door Frame)		

*NOTE: When using an **MQ34CV3BL** a Designer Door or Door Frame is required.

Clean View Picture Frame

Width	Height	Depth
MQ34CV4PFBL (Clean View)*		
37 1/8"	27 3/8"	1 7/16"
MQ34DD1BL (Designer Door – Series 1)		
MQ34SF1BL (Door Frame)		

*NOTE: When using an **MQ34CV4PFBL** a Designer Door or Door Frame is required.

Surrounds

Width	Height
I34S3927BL (Surround)	39"
I34SPF4131BL (Surround Picture Frame)	27 5/16"
I34SU4541BL (Surround Universal)*	41 1/8"
	41"

*Trim to Size

STEP 5: CHOOSE VENTING

IDV34

IDVVT36	Vertical Vent Termination
IDVFK25	Flex Pipe Kit
IDVLCF	Block Off Plate – for Lower Chase
ZDV3FC	Flex Connector 3" Diameter

*MG Duravent (Order Kit #46DVA-CL33)

IDV44

Minimum Fireplace Opening

Width	Height	Depth
IDV44		
32 7/8"	25 3/4"	18"

Clean View Kits

Width	Height	Depth
I44CV1BL (Clean View)	39 9/16"	28 1/2"
MQ44CV2BL (Clean View)	39 5/8"	29 1/16"

Clean View Kit – with Screen Door or Designer Frame

Width	Height	Depth
MQ44CV3BL (Clean View)*		
41 7/16"	29 1/8"	1 7/16"
MQ44DD1BL (Designer Door – Series 1)		
MQ44SF1BL (Door Frame)		

*NOTE: When using an **MQ44CV3BL** a Designer Door or Door Frame is required.

Surrounds

Width	Height
I44S4432BL (Surround)	44"
I44SPF4436BL (Surround Picture Frame)	32 1/16"
I44SU4742BL (Surround Universal)*	44"
	36"
	47"
	42"

*Trim to Size

Unit Illustrated: IDV34N Direct Vent Fireplace Insert (Natural Gas), I34CV1BL Clean View (Black), MQRSP8 Glass Support Platform, MQSTONE Decorative Stones.



Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQRBD4 Driftwood Log Set (3 Piece), MQRSP11 Support Platform for Driftwood, MQG5C Glass Media Bronze x3, MQ34CV3BL Clean View (Black), MQ34SF1BL Door Frame (Black), IDV33PRL Porcelain Reflective Liner.



Unit Illustrated: IDV44N Direct Vent Fireplace Insert (Natural Gas), MQ44CV2BL Clean View (Black), LOGF36 Log Set (Fibre Split Oak), I44S4432BL Surround (Black), IDV36RLT Refractory Brick Liner (Traditional).



CLEAN VIEW CV2 WITH SURROUND

Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQ34CV4PFBL Clean View – Picture Frame (Black), MQ34SF1BL Door Frame (Black), MQRSP8 Glass Support Platform, MQG5A Decorative Ember Glass (Cobalt Blue), IDV33PRL Porcelain Reflective Liner.



CLEAN VIEW CV4 WITH PICTURE FRAME

Unit Illustrated: IDV34N Direct Vent Insert (Natural Gas), MQ34CV3BL Clean View (Black), MQ34DD1BL Designer Door (Black), I34S3927BL Surround (Black), MQRBRW Birch Log Set, MQRSP11 Log Support Platform, MQG5C Glass Media Bronze x3, IDV33PRL Porcelain Liner.



CLEAN VIEW CV3 WITH DESIGNER DOOR & SURROUND

Unit Illustrated: Model IDV34LP Direct Vent Fireplace Insert (Propane), LOGF35 Log Set (Split Oak), I34CV6BL Clean View with Backer Surround (Black), IDV33RL Brick Liner.



CLEAN VIEW CV6 WITH BACKER SURROUND



Unit Illustrated: IDV44N Direct Vent Insert (Natural Gas), LOGF36 Oak Log Set, MQ44CV2BL Clean View (Black), I44S4432BL Surround (Black), IDV36RLT Brick Liner.



Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.

The Units are Certified to: ANSI Z21.88-2017, CSA 2.33-2017 Vented Gas Fireplace Heater.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.



FOR CALIFORNIA RESIDENTS ONLY:
WARNING! This product can expose you to chemicals including Carbon Monoxide, that is an externally vented by-product of fuel consumption, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Crafted entirely in Canada, each Marquis fireplace is built to the highest standards and made to last.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue
Winnipeg, Manitoba, CAN
R2R 2V3
Phone: 204.632.1962
Fax: 204.632.1960
marquisfireplaces.net

Printed in Canada
B105 – 11/19

Canada

ENERGUIDE

Look for the **EnergyGuide**
Gas Fireplace Energy
Efficiency Rating in this brochure

Based on CSA P.4.1-15